## **Cumulative Index 1988**

## Volume 4

February Common Clinical Challenges in Geriatrics, pages 1–240

May Rheumatic Disorders, pages 241–470

August Clinical and Policy Issues in the Care of the Nursing Home Patient, pages 471–697

November Treatment Considerations for Alzheimer's Disease and Related Dementing Illness, pages 699–956

Note: Page numbers of article titles are in boldface type.

Acid-peptic disease, management of, in demented patients, 716
Acquired immunodeficiency syndrome de-

mentia, 901–907 clinical manifestations of, 903–904

clinical manifestations of, 903–904 family caregivers for patients with, 951– 953

laboratory investigation for, 905 pathophysiology of, 902–903 treatment of, 905–906

"Age-associated memory impairment," biologic substrates of, 919–924 diagnostic criteria for, 913–915

diagnostic criteria for, 913–91 efforts to define, 918–919

theories of, 916–918 Aging, disease, physical activity, and, 182– 183

diseases of, 347

exercise and, 183–186

Alcohol, dementia associated with, clinical characteristics of, 889–892

family caregivers for patients with, 947–949

organic mental disorders associated with heavy drinking and dependence on, 881-899

clinical characteristics of, 886–892 clinical implications for, 893–896 epidemiology for, 882–883 Alcohol amnestic disorder, clinical characteristics of, 888–898, 890

Alcohol-associated organic mental disorder, assessment of, 893–895

clinical characteristics of, 886–892

clinical implications of, 893–896 epidemiology for, 882–883 history for, 881–882

treatment of, 895–896 Alpha antagonists, for treating hypertension,

Alzheimer's disease, dementia in Parkinson's disease and, 793-796

clinical evidence for, 794-796 neuropathologic evidence for, 793-

in differential diagnosis of dementia, 591-

management of behavior problems in elderly patients with other dementias and, 719-747

basic tenets for effective, 721-744 behavioral target signs and symptoms for, 722-724

definition of behavior problems in, 719–721

education for, 728

family and caregiver involvement in, 728 Alzheimer's disease (Continued)

management of behavior problems in elderly patients with other dementias and, nonpharmacologic treatment modalities for, 726-728 patient and family unit in, 739-744 pharmacotherapy for, 728-738

psychotherapy for, 725–738 psychotherapy for, 725–726

Angina, unstable, acute myocardial infarction and, 118-120

Angiotensin-converting enzyme inhibitors, for treating hypertension in elderly, 9– 10

Anorexia, care of dying patient and, 645-646

Antagonist, alpha, for treating hypertension in elderly, 10

Antiadrenergic drugs, for treating hypertension in elderly, 9

Anti-aggression agents, in management of behavior problems in elderly patients with Alzheimer's disease and other dementias, 737

Antiarrhythmic drugs, age-related changes in effect of, 143

interactions of, in treatment of cardiac rhythm disorders, 101

in treatment of cardiac rhythm disorders, 96–100

Antibiotics, management of, 634-635 pharmacology and toxicity of, 491-492 Anticipatory grief, with terminally ill patient. 16-17

Antidepressant drugs, dementia and, 597–598

for depression among nursing home residents, 604-606

in management of behavior problems in elderly patients with Alzheimer's disease and other dementias, 735-737

Antihypertensive drugs, 9–11 age related changes in effect of, 144 pharmacologic interactions of, with agents used for coexisting conditions, 7

Antipsychotic drugs, dementia and, 597 in management of behavior problems in elderly patients with Alzheimer's disease and other dementias, 734–735 management of, 623–625, 634

Anxiety, among nursing home residents, 606-608

diagnosis and clinical features of, 606-607

epidemiology for, 606 treatment considerations for, 607-608 care of dying patient and, 644-645 definition of, 66-67

Anxiolytic drugs, dementia and, 598 Aphasia, primary progressive, dementia and, 801-802

Atherothrombotic disease, multi-infarct dementia and, 759–760

Atrial fibrillation, 88–89 Atrial flutter, 90

Atrial tachycardia, 86

multifocal, 90-91 Atrioventricular block, 92-93

Atrophies, olivopontocerebellar, dementia and, 811-812

AV nodal re-entrant tachycardia, 87-88 AV reciprocating tachycardias, 88

Bacteriuria, asymptomatic, 57–70 catheter-associated, 67–68 clinical manifestations of, 62 diagnosis of, 64–66 epidemiology of, 59–61 microbiology of, 61–62 pathogenesis of, 57–58 significance of, 62–64 treatment of, 66–67

Balance, posture and, in falls, 616–617 Basal ganglia disorders, dementia and, 802–

B complex vitamins, malnutrition and, 535 Behavior problems, management of, in elderly patients with Alzheimer's disease and other dementias, 719-747

basic tenets for effective, 721-744 behavioral target signs and symptoms for, 721-723

definitions for, 719-721

education for, 728 family and caregiver involvement in,

nonpharmacologic treatment modalities for, 726–728

patient and family unit in, 739-744 pharmacotherapy for, 728-738 psychotherapy for, 725-726

"Benign senescent forgetfulness," questioning existence of, 897–916 biologic substrates of, 903–911 creating diagnosis of, 898–900 defining, 905–906

diagnostic criteria for, 900-902 role of diagnosis and, 897-898

Bereavement, care of dying patient and, 653 Beta blockers, for treating hypertension, 10 Binswanger's disease, multi-infarct dementia and, 754

Block, atrioventricular, 92–93 bundle branch, 93–94 sinoatrial, 92

Blockers, beta, for treating hypertension, 10 calcium channel, for treating hypertension, 10

Blood cells, red, true mass changes in, 48

Blood production, effects of aging on, 48 Body fat, malnutrition and, 531-532

Bone density, exercise and, 186-187

Bowel, normal function of, definition of constipation and, 571-572

Bradyarrhythmias, 91-96

Bradycardia-tachycardia syndrome, 94–95, 96

Brain, age-related changes in, 74-75
Brain imaging, in evaluation of normal pres-

sure hydrocephalus and dementia, 828–833

Bundle branch block, 93-94

Bypass surgery, coronary artery, in management of coronary artery disease, 120– 122

Calcium, 198 malnutrition and, 535

Calcium channel blockers, for treating hypertension, 10

Calories, malnutrition and, 534

Cancer, aggressive management of, 29-42 conclusions from, 39 natural history and clinical course of,

29-31 screening and diagnosis of, 31-32

treatment of, 32–39

gastrointestinal, appropriate prevention and detection of, 223–233

detection of, 230-231 stomach, 229-230

prevention of, 230 Cardiac catheterization, in management of coronary artery disease, 115–116

Cardiac rhythm disorders, diagnosis and treatment of, 83–110 antiarrhythmic drug interactions in, 101 antiarrhythmic drug therapy in, 96–100 bradyarrhythmias and, 91–96 electrocardiogram in, 83–85

pacemaker therapy in, 101-105 pharmacodynamic alterations and, 100-

tachyarrhythmias and, 85–91 Cardiovascular drugs, age related changes in

effect of, 138–144 Caregiver-patient partnership, basic issues of disease management in demented patients and, 704

Carotid sinus, hypersensitive, 95

Catheter, bacteriuria associated with, 67–68 Catheterization, cardiac, in management of coronary artery disease, 115–116

Cerebral dysfunction, with focal lesions, dementia following stroke and, 776-777

Cerebral infarction, relationship of dementia to, 752 Cerebrovasodilators, multi-infarct dementia and, 760-761

Choline, brain function and, 834

Chronic disease, anemia of, 51 depression and, 208–212

Cisternography, in evaluation of normal pressure hydrocephalus and dementia, 820

Cognitive performance, basic issues of disease management in demented patients and, 706

Colectomy, in treatment of constipation, 585

Colon, normal function of, 572-573

Colon cancer, 223-225

carcinogenesis in, 224 detection of, 225

dilution of, by dietary fiber, 225

fat as promoter of, 224-225 prevention of, 223-224

Colorectal carcinoma, identification of population at high risk for, 225-229

screening for, 226-228 Competency, determinations of, 669-671 of terminally ill patient, 21

Computed tomography, in evaluation of normal pressure hydrocephalus and dementia, 821–823

Consciousness, alteration of, dementia following stroke and, 773-774

depressed, malnutrition and, 529 Constipation, care of dying patient and, 647-648

causes of, 573-575

chronic severe, 579-580

complications of, 576-579

definition of, normal bowel function and, 571-572

diagnosis of, 575

fecal impaction and, in long-term care patient, 571-588

causes of, 573-575

chronic severe, 579-580 complications of, 576-579

diagnosis of, 575

normalcy versus, 571-572

treatment of, 580-586 treatment of, 580-585

Consultant care, coordination of, by nursing home medical director, 501-502

Coronary artery bypass surgery, in management of coronary artery disease, 120-129

Coronary artery disease, approach to management of, 111-126

cardiac catheterization in, 115–116 coronary artery bypass surgery in, 120– 122

echocardiography in, 114-115 exercise testing in, 113-114

making diagnosis in, 111-113 medical management in, 116-118 Cortical degeneration, dementia and, 806-808

Corticosteroids, brain function and, 847 Cough, care of dying patient and, 651 Creatinine-height index, malnutrition and, 533

Creutzfeldt-Jakob disease, dementia and, 808-810

Daytime sleepiness, napping and, 76 Decision making, by and for nursing home residents, 667-679

determinations of competency and, 669–671

"do not" orders and, 673–677 informed consent and, 668–669 proxy decision making and, 671–673 resident's rights and, 667–668

Decubitus ulcers, dietary needs with, 538 Degeneration, cortical, dementia and, 800– 802

Deglutition, disorders of, malnutrition and, 529

Dementia, 24

acquired immunodeficiency syndrome, 889-895

clinical manifestations of, 891–892 family caregivers for patients with, 925– 940

laboratory investigation for, 893 pathophysiology of, 890–891 treatment of, 893–894

alcohol-related, family caregivers for patients with, 931-933

approach to management of medical problems in, 703-717

association of illness with cognitive performance and, 704

basic issues of disease management in, 704-707

cardinal symptoms of disease in, 705–706

caregiver-patient partnership in, 704 general health maintenance in, 714–716 limited treatment plans in, 704–705 management of acid-peptic disease in, 714

management of acute medical illnesses in, 707-709

management of chronic diseases in, 709-714

management of diabetes mellitus in, 712-713

management of hypertension in, 711-712

management of osteoarthritis in, 713-714

patterns of disease in, 706 role of medications in, 706-707

as sequela to other neurologic diseases, 799-814

basal ganglia disorders and, 802–806 cortical degeneration and, 800–802 Creutzfeldt-Jakob disease and, 808–810 pseudodementia and, 810–811

traumatic dementias and, 806-808 assessment and management of, in nurs-

ing home, **589–600**Alzheimer's disease and, 591–592 classes of drugs for, 596–598 clinical course and complications in, 593–595

diagnosis and assessment in, 590–591 differential diagnosis in, 591–599 drug toxicity and, 593 multi-infarct dementia and, 592 pharmacotherapy for, 596–598 principles of psychotropic use in, 596– 597

pseudodementia and, 592 specialized programs for, 599 treatment of patient and family in, 595 associated with alcoholism, clinical charac-

teristics of, 901–907  $B_{12}$  and folate deficiency, 841–852 clinical controversies in, 847–850 co-enzyme functions in, 846–847 evidence for, 844–846 neurologic consequences in, 842–843 pathologic basis of, 843–844

without hematologic abnormality, 843 complete work-up for, 163–180 differential diagnosis in, 175 history in, 163–166 neurologic examination in, 166–175 dialysis. 853–867

aluminum metabolism and, 860–861 clinical features of, 855–858 epidemiology of, 853–855 etiology of, 855, 859–860 neuropathology of, 859 treatment and prevention of, 861–863

dietary needs in patients with, 536-537 drug toxicity and, 593 evaluating life-sustaining treatments for

evaluating life-sustaining treatments for persons with, 917–924 models for, 918–920 treatment planning for, 920–922

evident, 594
family caregivers for patients with nonAlzheimer's, 925–940
clinical interventions with, 928
impact of caregiving on, 926–927
interventions with, 927–928

following stroke, **767–784**alteration of consciousness and, **771– 772** 

cerebral dysfunction with focal lesions and, 772–773 features of, 773–774

functional capacities evaluation and, 779 history of, 774-775 hydrocephalus and, 771 intracranial hemorrhage and, 768-770 medical evaluation and, 777-778 mental status examination and, 776-777 neurologic examination and, 775-776 neurologic sequelae and, 771 neuropsychologic evaluation and, 778 nursing assessment and, 780 psychiatric consultation and, 779 recognition of, 774 speech evaluation and, 778-779 stroke outcome and, 770-773 survival and, 770 "frontal lobe," Parkinson's disease and,

frontal lobe, Parkinson's disease and, 792–793 gait ataxia, incontinence and, 815–816

gait ataxia, incontinence and, 815–816 Huntington's, family caregivers for patients with, 933–934

late, 594-595

management of behavior problems in elderly patients with Alzheimer's disease and, 719-747

basic tenets for effective, 721–744 behavioral target signs and symptoms for, 721–723

definition of behavior problems in, 719-721

education for, 728

family and caregiver involvement in,

nonpharmacologic treatment modalities for, 726–728

patient and family unit in, 739–744 pharmacotherapy for, 728–738 psychotherapy for, 725–726 multi-infarct, 592

family caregivers for patients with,

understanding and treating, 749–766 atherothrombotic disease and, 759–760 cerebrovasodilators and other agents in, 760–761

clinical syndromes and, 754–755 differential diagnosis and, 751–753 epidemiology of stroke and, 751 heart disease and, 758–759 management of hypertension and, 755–

relationship of dementia to cerebral infarction and, 750

risk factors in treatment of, 757–758 specific treatment for, 755–761 normal pressure hydrocephalus and, eval-

uation and treatment of, 815–830 brain imaging in, 820–825 clinical syndrome in, 815–817

CSF circulation and pathophysiology of ventricular enlargement in, 817-819 CSF shunting procedures for, 825–827 initial diagnostic testing in, 819–820 outcome characteristics for, 827 of depression, family caregivers for pa-

tients with, 934–935

of Parkinson's disease, 785–797
Alzheimer's disease and, 787–790
family caregivers for patients with, 931
"frontal lobe" dementia and, 792–793
incidence of, 786–787
prospects for treatment of, 793–794
subcortical dementia and, 790–792

psychotropic drugs and, 596–597 secondary to metabolic and nutritional abnormalities, 831–839

possible mechanisms for, 837 subcortical, Parkinson's disease and, 790– 792

traumatic, 806-808

treatment considerations in, 699–702
Dementia puglistica, 820
Denial, by terminally ill patient, 16
Dentition, poor, malnutrition and, 529
Depressed consciousness, malnutrition and,

Depression, among nursing home residents, 601-606

diagnosis and clinical features for, 602-603

epidemiology for, 601-602 pharmacological approaches for, 604-

psychological approaches for, 603–604 treatment considerations with, 603

care of dying patient and, 644-645 chronic illness and, 208-212

definition of, 66

dementia of, family caregivers for patients with, 938-940

diagnosis of, application of Diagnostic and Statistical Manual (DSM III) criteria in, 204–206

epidemiology, morbidity, and mortality of, 206-208

malnutrition and, 530 treatment of, 212-215

Detrusor, overactivity of, established incontinence and, 555

treatment of, 562–564 inderactivity of, establis

underactivity of, established incontinence and, 555

treatment of, 567-568

Diabetes, management of, in demented patients, 714-715

Diagnostic and Statistical Manual (DSM III), application of criteria from, in diagnosis of depression, 204–206

Dialysis dementia, 853–867 aluminum metabolism and, 859–860 clinical features of, 854–857 Dialysis dementia (Continued)
epidemiology of, 852–854
etiology of, 854, 858–859
neuropathology of, 858
treatment and prevention of, 860–862
Diarrhea, care of dying patient and, 647–

dietary needs with, 538 enteral feeding and, 541 presentation of, in nursing home patients,

515, 538
Diet, 283-285
assessment of, 199
counse! for, 199-200
for dementia patients, 536-537
guidance in, 193-202
Dietary fat, 196
Digitalis, age related changes in effect of, 140-141, 143

Direct vasodilators, for treating hypertension, 10

Disease, aging, physical activity, and, 182-183

Alzheimer's, in differential diagnosis of dementia, 591–592 basic issues of management of, in de-

mented patients, 704–707
association of illness with cognitive performance in, 704

tormance in, 704 cardinal symptoms in, 705–706 caregiver-patient partnership in, 704 limited treatment plans in, 704–705 patterns in, 706 role of medications in, 706–708

chronic, anemia of, 51 depression and, 208–212

coexisting with hypertension, considerations in, 6-7

infectious, presentation of, 509–515 management of, in demented patients, for acute medical illnesses, 707–709 for chronic illnesses, 709–714 general health maintenance in, 714–716

of aging, exercise and, 183-186 Disease staging, importance of, 495-500 Diuretics, age related changes in effect of,

for treating hypertension, 9 "Do not" orders, 673–677

Drug interactions, age related changes in effect of, 144

Drug-nutrient interactions, effect on drug action of age related changes in, 137– 138

Drugs, altered action of, pharmacodynamic basis for, 127-149 antiadrenergic, for treating hypertension,

antiarrhythmic, age related changes in effect of, 143 interactions of, in treatment of cardiac rhythm disorders, 101 in treatment of cardiac rhythm disor-

ders, 96-100

antibiotic, management of, 634–635 antidepressant, dementia and, 597–598 for depression among nursing home residents, 604–606

antihypertensive, 9-11

age related changes in effect of, 144, 144

pharmacologic interactions of, with agents used for coexisting conditions, 7 antipsychotic, dementia and, 598 management of, 623–625, 634 anxiolytic, dementia and, 598 calcium metabolism and, 395–397

cardiovascular, age related changes in effect of, 138–144 characteristics of, suitable for elderly hy-

pertensive patients, 8–9 influence of aging on metabolism and distribution of, in treating hypertension,

interactions of nutrient supplements with, 304

malnutrition and, 529
metabolism of, 298–299
age effects on, 304–306
monitoring, 633–634
multiple, for treating hypertension, 11
neuroleptic, dementia and, 597
psychotropic, dementia and, 596–597
stimulating, dementia and, 598
tranquilizing, dementia and, 597, 598

Drug therapy, dementia and, 596–598 goals of, 623

Drug toxicity, dementia and, 593 Durable power of attorney, for terminally ill patient, 24

Dying, discussion of, with terminally ill patient, 14 Dying patient, care of, 639-654

aesthetic considerations in, 652 anorexia and, 645-646 anxiety and depression in, 644-645 bereavement and, 653 constipation and diarrhea and, 647-648 cough and, 651 developing plan for, 640-641 dyspnea and, 651-652 gastrointestinal symptoms and, 645-648 hiccups and, 651 mouth problems and, 646-647 nausea and vomiting and, 646 pain and, 642-644 pressure sores and, 649-650 pruritus and, 650 respiratory problems and, 650-652

skin problems and, 649-650

symptom control in, 641-642 urinary problems and, 649 Dyspnea, care of dying patient and, 651-

Echocardiography, in management of coronary artery disease, 114-115 Education, in management of behavior problems in elderly patients with Alz-

heimer's disease and other dementias, Elderly, anemia in, approach to, 43-55

pharmacologic causes of plasma volume alteration in, 47-48 physiologic variations of plasma volume

and, 45-47 prevalence of, 43-44

anemia of chronic disease in, 51

appropriate prevention and detection of gastrointestinal neoplasms in, 223-233 arguments for changing normal hemato-

logic values in, 44-45 asymptomatic bacteriuria in, 57-70

catheter-associated, 67-68 clinical manifestations of, 62 diagnosis of, 64-66

epidemiology of, 59-61 microbiology of, 61-62

pathogenesis of, 57-58 significance of, 62-64

treatment of, 66-67

benefits of exercise for, 181-192

blood production in, 48 bradyarrhythmias in, 91-96

calcium in diet of. 198 cancer in, aggressive management of, 29-

42 conclusions from, 39

natural history and clinical course of, 29 - 31

screening and diagnosis of, 31-32

treatment of, 32-39

assisted suicide and euthanasia in, 543-

ethical and legal issues in care of, 541-

infections in, 549-559

diagnosis of, 555-556

host and tumor factors in, 550-557

prevention of, 557 risk of, 550-555

treatment of, 556-557

life-prolonging decisions in care of, 541-542

right to die and, 542-543

treatment decision status in care of, 545-546

carbohydrates in diet of, 197

changes in brain of, 74-75

changes in iron metabolism in, 49-50

changes in physiologic systems of, 75

changes in sleep parameters in, 77-78 clinical pharmacology of nortriptyline in,

215-219

colon cancer in, 223-225

carcinogenesis in, 224 detection of, 225

dilution of, by dietary fiber, 225

fat as promoter of, 224-225 prevention of, 223-224

coronary artery disease in, approach to management of, 111-126

cardiac catheterization in, 115-116 coronary artery bypass surgery for.

120-122

echocardiography in, 114-115 exercise testing in, 113-114

making diagnosis in, 111-113

medical management in, 116-118 diagnosis and treatment of cardiac rhythm

disorders in, 83-110 antiarrhythmic drugs and, 96-100, 101

bradyarrhythmias and, 91-96 electrocardiogram in, 83-85

pacemaker therapy for, 101-105

pharmacodynamic alterations in, 100-

tachyarrhythmias and, 85-91 dietary assessment of, 199

dietary fat in, 196 dietary guidance for, 193-202

energy and weight for, 194-196 hypertension in, antihypertensive drugs for, 9-11

characteristics of, 3-5

characteristics of drugs suitable for, 8-9 coexisting disease considerations in, 6-7 diagnostic considerations in evaluating,

drug metabolism and distribution and, 7-8

general therapeutic considerations in,

patient characteristics in treatment of,

treatment of, 1-12

hyperthyroidism in, 154-156 hypothyroidism in, 156-158

iron metabolism in, and its relation to anemia, 49-52

iron reutilization and, 51-52

new normal range in, 52-53

normal bowel function in definition of constipation and, 571-572

normal colonic function in, 572-573

normal sleep in, 71-81

pharmacodynamic basis for altered drug action in, 127-149

Elderly (Continued) pitfalls of common hematologic measures practical nutritional guidance for, 198-199 precautions in interpretation of sleep studies in, 72-74 prevalence of iron deficiency in, 49 protein in diet of, 196-197 pseudohypertension in, 1-2 selected minerals and vitamins in diet of, 197 - 198sleep disorders in, 75-76 sleep latency in, 77 sleep stages in, 77-78 socioeconomic changes in, 75 sodium in diet of, 198 sources of sleep changes in, 74-76 systolic hypertension in, 2-3 thyroid function in, 151-161 total time in bed for, 77 true red blood cell mass changes in, 48 upper gastrointestinal malignancies in, 637-648 use of antidepressants in, 203-222 vitamin D in diet of, 198 wakefulness in, 77 yield of therapeutic trials with iron in, 51 Electrocardiogram, in diagnosis of cardiac rhythm disorders, 83-85 Enemas, in treatment of constipation, 585 Energy, weight and, 194-196 Enteral feeding, choice of formula for, 540 complications of, 540-541 providing, 539 Enzyme inhibitors, angiotensin-converting, for treating hypertension, 9-10 Epidural and subdural hemorrhage, dementia following stroke and, 774 Equipment, coordination of, by nursing home medical director, 503 Established incontinence, 554-557 detrusor overactivity and, 555 detrusor underactivity and, 555 outlet incompetence and, 555-556 outlet obstruction and, 556-557 Euthanasia, of terminally ill patient, 21-22 Euthyroidism, sick, 158-159 Exercise, aging, disease, and, 182-183 aging research and, 186-187 benefits of, in old age, 181-192 bone density and, 186-187 diseases of aging and, 183-186 in management of behavior problems in elderly patients with Alzheimer's disease and other dementias, 727

Falls, balance and posture in, 616–617 circumstances of, 615–616 education regarding, 619

neuropsychological function and, 187

identification of patients at risk for, 619intrinsic causes of, 615 morbidity and mortality in, 613-614 prevention and management of, in institutional setting, 613-622 prevention of, 617-621 reduction of common hazards in, 618-619 risk factors in, 614-616 modification of, 620-621 Family, of terminally ill patient, conflicts with, 25-26 intervention with, 19-20 proxy consent and, 25 Fat, dietary, 196, 349 Fecal impaction, constipation and, in longterm care patient, 571-588 causes of, 573-575 chronic severe, 579-580 complications of, 576-579 diagnosis of, 575 normalcy versus, 571-572 treatment of, 580-586 Feeding, assisted and unassisted oral, 538enteral, choice of formula for, 540 complications of, 540-541 providing, 539 gastrostomy/jejunostomy tube, providing, 539-540 nasoduodenal, providing, 539 nasogastric, providing, 539 nonvolitional, providing, 539-540 volitional, providing, 538-539 dietary, dilution of colon cancer, 225 increased dietary, in treatment of constipation, 581 malnutrition and, 536 Fibrillation, atrial, 88-89 Flexible sigmoidoscopy, 229 Flutter, atrial, 90 Folate deficiency dementia, vitamin B<sub>12</sub> deficiency dementia and, 841-852 cerebral effects of, 841-847 clinical controversies in, 847-850 co-enzyme functions and, 846-847 evidence of, 844-846 neurologic consequences of, 842 pathologic basis of, 843-844 without hematologic abnormality, 843 Folic acid, brain function and, 834-835 Forgetfulness, benign senescent," biologic substrates of, 907-913 creating diagnosis for, 899-901 diagnostic criteria for, 901-903 efforts to define, 906-907 questioning existence of, 897-916 role of diagnosis in, 898-899

Formula, choice of, for enteral feeding, 540 "Frontal lobe" dementia, Parkinson's disease

and, 792-793

Gait ataxia, dementia, incontinence and, 815-816

Gastrointestinal neoplasms, appropriate prevention and detection of, 223–233 detection of, 230–231

Gastrointestinal problems, care of dying patient and, 645-648

Gastrostomy/jejunostomy tube feeding providing, 539-540

Geriatric patient, assessing physical function of, summary index in, 38

Governance agenda, 681-683

Grief, anticipatory, with terminally ill patient, 16-17

Gut, motility of, manometry studies and, 573

Gut irrigation, whole, in treatment of constipation, 585

Head injury, dementia and, 806-807 Hematologic values, arguments for changing normal, 44-45

Hematology, malnutrition and, 532

Hemorrhage, intracranial, dementia following stroke and, 768-770

intraparenchymal, dementia following stroke and, 769-770

subarachnoid, dementia following stroke and, 768–770

subdural and epidural, dementia following stroke and, 770

Heparin, age related changes in effect of, 144

Hiccups, care of dying patient and, 651 Home care, nursing home placement versus, in management of behavior problems in elderly patients with Alzheimer's disease and other dementias, 742–743

Homeostatic mechanisms, effect on drug action of age-related changes in, 131, 133 Hormones, thyroid, aging and, 153

Hospital(s), move from, to nursing home, 472–474

move to, from nursing home, 474 Hospitalization, basic issues of disease management in demented patients and,

704-705

Hospital-nursing home interface, dynamics and clinical implications of, 471–491 epidemiology of, 472–475 influence of public policy on, 476–480 strategies to improve management of acutely ill nursing home residents and, 480–486

Huntington's disease, dementia and, 804– 805

family caregivers for patients with dementia of, 933-934

Hydrocephalus, dementia following stroke and, 769

normal pressure and dementia and, evaluation and treatment of, 815-830 brain imaging in, 820-825 clinical syndrome of, 815-817 CSF circulation and pathophysiology of ventricular enlargement in, 817-819 CSF shunting procedures in, 827-829 initial diagnostic testing in, 819-820

outcome characteristics for, 827 Hyperglycemia, brain function and, 836 Hypersensitive carotid sinus, 95

Hypertension, characteristics of, 3–5 management of, in demented patients, 713–714

multi-infarct dementia and, 755-757 systolic, 2-3

treatment of, 1-12

antihypertensive drugs for, 9-11 characteristics of drugs suitable for, 8-9 consideration of coexisting diseases in, 6-7

diagnostic considerations in evaluating,

drug metabolism and distribution in, 7-8

general therapeutic considerations in, 5-6

patient characteristics in, 3-5 treatment of pseudo-, 1-2

treatment of systolic, 2–3 Hyperthyroidism, 154–156 brain function and, 846

Hypnotics, in management of behavior problems in elderly patients with Alzheimer's disease and other dementias, 737-738

Hypocalcemia, brain function and, 837 Hypoglycemia, brain function and, 836 Hyponatremia, enteral feeding and, 541 Hypothyroidism, 156–158 brain function and, 836–837

Iatrogenesis, risk factors for, in treatment of infections, 515-516Immunizations, for nursing home patients,

516–518

Impaction, fecal, constipation and, in longterm care patient, 571–588 causes of, 573–575 chronic severe, 579–580

complications of, 576–579 diagnosis of, 575 normalcy versus, 571–572

treatment of, 580–586 Incompetence, outlet, established incontinence and, 555–556 Incontinence, dementia, gait ataxia and, 823-824

ozz-oza established, 554-557 detrusor overactivity and, 555 detrusor underactivity and, 555 outlet incompetence and, 555-556 outlet obstruction and 556-557

outlet obstruction and, 556–557 in nursing home patient, 549–570 anatomy and physiology in, 550 clinical evaluation in, 557–559 detrusor overactivity and, 555 treatment of, 562–564 detrusor underactivity and, 555 established, 554–557

impact of age on, 550–551 mixed incontinence and, treatment of, 568–569

outlet incompetence and, 555-556 outlet obstruction and, 556-557 treatment of, 566-567

physical examination in, 559–561 stress incontinence and, treatment of, 564–566

treatment of, 562–569 underactive detrusor and, treatment of, 567–568 urodynamic evaluation in, 561–562 mixed, treatment of, 568–569 stress, treatment of, 564–566 transient. 551–554

transient, 551-554

voiding record and, 558-559
Infarction, acute myocardial, unstable angina and, 118-120

cerebral, relationship of dementia to, 750
Infection(s), urinary tract, presentation of, in
nursing home patients, 511-512

Infectious diseases, presentation of, 509–515 Informed consent, 668–669

Infusion tests, in evaluation of normal pressure hydrocephalus and dementia, 819–820

Injury, head, dementia and, 806-807

Junctional tachycardia, 86-87

Ketanserin, for treating hypertension, 11 Korsakoff's syndrome, clinical characteristics of, 876–886, 888

Laboratory, coordination of, by nursing home medical director, 502 Lacunar stroke, multi-infarct dementia and, 754 Laxatives, in treatment of constipation, 582–585

Legal aspects, for nursing home medical director, 505

Life-sustaining medical treatments, nursing home policies addressing use or withdrawal of, 681-690

Living will, of terminally ill patient, 22-24 Long-term care, humanizing, 503-505

Lumbar puncture pressure measurements, in evaluation of normal pressure hydrocephalus and dementia, 819

Magnesium, malnutrition and, 535
Magnetic resonance imaging, in evaluation
of normal pressure hydrocephalus and
dementia, 822–825

Malnutrition, depression and, 530

drugs and, 529

nutrition and, in elderly nursing home patient, 527-547 calories and protein in, 534 complications of enteral feeding for,

complications of enteral feeding for, 540–541 decubitus ulcers and, 538

diarrhea and, 538 dietary needs in selected settings and, 536-538

enteral tube feeding for, 539 for acutely ill, septic patients, 537 for dementia patients, 536–537 formula choice for enteral feeding in, 540

for stable patients, 536 functional assessment of nutrient intake capacity in, 527-528

gastrostomy/jejunostomy tube feeding for, 539-540 identification of risk factors in, 528-530

nasoduodenal feeding for, 539 nasogastric feeding for, 539 nonvolitional feeding methods for, 539–

540 nutrient needs and intake and, 534–536

nutritional assessment in, 527–534 obesity and, 538

physical examination in, 530-534 policy and ethical issues in nutritional services in nursing homes and, 541-543

providing nutritional needs for, 538-541

total parenteral nutrition for, 541 vitamins in, 535-536

volitional feeding and, 538-539 Manometry, gut motilty and, 573

Medical director, nursing home, clinical research by, 501 control of physical environment by, 503 control of psychological environment by, 504–505

control of staff environment by, 504 coordination of consultant care by, 501– 502

direction of laboratory and radiology by, 502

direction of medication use by, 502–503 direction of transfers by, 502 humanization of long-term care by

humanization of long-term care by, 503-505

legal aspects and training for, 505 management of equipment by, 503 role of, 493-506

in assessing quality of care, 495–500 in disease staging, 495–500 interdisciplinary, 493–495 tasks of, 500–503

tensions with, 505

Medical evaluation team, assessment by, in nursing home, 158-166

Medication, affecting neurotransmission, in treatment of constipation, 585

basic issues of disease management in demented patients and, 708-709 coordination of, by nursing home medical

director, 502-503 management of, 623-638

altered drug handling capability and, 629-633

baseline data in, 625

cognitive impairment and, 625–626 factors important to effective, 625–635 patient's atypical presentation and, 626 patient's nutritional status and, 626–627 special problems with, following discharge, 635–636

Memory impairment, age-associated, biologic substrates of, 919–924 diagnostic criteria for, 913–915 efforts to define, 918–919 theories of. 916–918

Mental disorders, organic, associated with heavy drinking and alcohol dependence, 881-899

> clinical characteristics of, 886–892 clinical implications for, 893–896 epidemiology for, 882–883

Metabolic abnormalities, dementia secondary to nutritional abnormalities and, 841–849

possible mechanisms for, 847 Minerals, 197-198

malnutrition and, 535 nutritional, 301, 350

Mixed incontinence, treatment of, 568–569 Motility, gut, manometry studies and, 573 Mouth problems, care of dying patient and, 646–647

Multifocal atrial tachycardia, 90-91

Multi-infarct dementia, 592

family caregivers for patients with, 945 understanding and treating, 751-769 atherothrombotic disease and, 761-762

cerebrovasodilators and other agents in, 762–763

clinical syndromes and, 756-757

differential diagnosis in, 753-755 epidemiology of stroke and, 753

heart disease and, 760–761 management of hypertension and, 757– 759

other risk factors in, 759-760 relationship of dementia to cerebral in-

farction and, 752 specific treatment for, 755-761

Multiple drug therapy, for treating hypertension, 11

Myocardial infarction, acute, unstable angina and, 118–120

Myoclonus, nocturnal, 76

Napping, daytime sleepiness and, 76 Nasoduodenal feeding, providing, 539 Nasogastric feeding, providing, 539 Neuroleptic drugs, dementia and, 597 Neurologic diseases, with dementia as se-

quela, 799–814
basal ganglia disorders and, 802–806
cortical degenerations and, 800–802
Creutzfeldt-Jakob disease and, 808–810
pseudodementia and, 810–811

traumatic dementias and, 806–808 Neuropsychological function, exercise and, 187

Neurotransmission, medications affecting, in treatment of constipation, 585

"No code," for terminally ill patient, 24–25 Nocturnal myoclonus, 76

Nonvolitional feedings, providing, 539–540 Nortriptyline, clinical pharmacology of, 215– 219

Nursing home, assessing quality in, 655-666 current regulations for, 657-659 three steps for, 660-665

common clinical disorders requiring medical assessment in, 163

dementia in, assessment and management of, 589-600

Alzheimer's disease and, 591–592 classes of drugs for, 597–598

clinical course and complications in, 593-595

diagnosis and assessment in, 590–591 differential diagnosis in, 591–599 drug toxicity and, 593 multi-infarct dementia and, 592

pharmacotherapy for, 596–598

Nursing home (Continued)

dementia in, principles of psychotropic use in, 596-597

pseudodementia and, 592

specialized programs for, 599 treatment of patient and family in, 595

home care versus, in management of behavior problems in elderly patients with Alzheimer's disease and other demen-

tias, 742-743 medical director for, assessment of quality

of care by, 495-500

clinical research by, 501 control of physical environment by, 503 control of psychological environment

by, 504-505

control of staff environment by, 504 coordination of consultant care by, 501-502

direction of laboratory and radiology by, 502

direction of medication use by, 502-503

direction of transfers by, 502

humanization of long-term care by, 503-505

importance of disease staging and, 495-500

interdisciplinary role of, 493–495 legal aspects and training for, 505

management of equipment by, 503 role of, 493–506

tasks of, 500-503 tensions with, 505

move to, from hospital, 472-474

move to hospital from, 474
policies addressing use or withdrawal of
life-sustaining medical treatments at,

prevention and diagnosis and management of infection in, 507-525

age-related immunologic changes in, 507-508

immunizations in, 516-518

infection control in, 518-519

nonspecific defense mechanisms in, 508–509

presentation of infectious diseases and, 509-515

risk factors for iatrogenesis in, 515–516 Nursing home-hospital interface, dynamics and clinical implications of, 471–491 epidemiology of, 472–475

public policy influence on, 476–480 strategies to improve management of acutely ill nursing home residents and, 480–486

Nursing home patient, incontinence in, 549-570

anatomy and physiology in, 550

clinical evaluation in, 557-559

detrusor overactivity and, 555

treatment for, 562-564

detrusor underactivity and, 555 established, 554-557

impact of age on, 550-551

mixed incontinence and, treatment of, 568-569

outlet incompetence and, 555-556 outlet obstruction and, 556-557

treatment of, 566-567

physical examination in, 559–561 stress incontinence and, treatment of, 565–566

transient, 551-554

treatment of, 562-569

underactive detrusor and, treatment of, 567–568

urodynamic evaluation in, 561-562 nutrition and malnutrition in, 527-547

calories and protein in, 534 complications of enteral feeding for,

540-541 decubitus ulcers and, 538

depression and, 530

diarrhea and, 515, 538

dietary needs in selected settings for, 536–538

drugs and, 529

enteral tube feeding for, 539

for acutely ill, septic patients, 537

for dementia patients, 536-537 formula choice for enteral feeding in,

540

for stable patients, 536 functional assessment of nutrient intake capacity and, 527-528

gastrostomy/jejunostomy tube feeding for, 539-540

identification of risk factors and, 528-530

nasoduodenal feeding for, 539 nasogastric feeding for, 539

nonvolitional feeding methods for, 539-

nutrient needs and intake of, 534-536 nutritional assessment for, 527-534

obesity and, 538 physical examination in, 530-534

policy and ethical issues in nutritional services in nursing homes and, 541– 543

providing nutritional needs for, 538-541

total parenteral nutrition for, 541

vitamins in, 535-536 volitional feeding and, 538-539

Nursing home residents, acutely ill, strategies to improve management of, 480-486 anxiety among, 606-608

diagnosis and clinical features of, 606-607

epidemiology for, 606

treatment considerations for, 607-608 decision making by and for, 667-679

determinations of competency and,

"do not" orders and, 673-677 informed consent and, 668-669

proxy decision making and, 671-673 resident's rights and, 667-668

depression among, 601-606

diagnosis and clinical features for, 602-

epidemiology for, 601-602

pharmacologic approaches for, 604-606 psychological approaches for, 603-604 treatment considerations with, 603

paranoia among, 608-610

diagnosis and clinical features in, 609 epidemiology for, 608-609

treatment considerations in. 609-610 psychiatric disorders among, 601-611

Nutrient intake capacity, functional assess-

ment of, 527-528 Nutrients, brain function and, 833-836

Nutrition, abnormalities with, dementia secondary to metabolic abnormalities and, 831-839

malnutrition and, in elderly nursing home patient, 527-547

calories and protein in, 534

complications of enteral feeding for, 40-541

decubitus ulcers and, 538

depression and, 530 diarrhea and, 515, 538

dietary needs in selected settings and, 536-538

drugs and, 529

enteral tube feeding for, 539 for acutely ill, septic patients, 537

for dementia patients, 536-537 formula choice for enteral feeding in, 540

for stable patients, 536

functional assessment of nutrient intake capacity in, 527-528

gastrostomy/jejunostomy tube feeding for, 539-540

identification of risk factors and, 528-

nasoduodenal feeding for, 539 nasogastric feeding for, 539

nonvolitional feeding methods for, 539-

nutrient needs and intake and, 534-536 nutritional assessment in, 527-534 obesity and, 538

physical examination in, 530-534

policy and ethical issues in nutritional services in nursing homes and, 541-

providing nutritional needs for, 538-

total parenteral nutrition in, 541

vitamins in, 535-536

volitional feeding and, 538-539

Obesity, dietary needs with, 538 Obstruction, outlet, established incontinence and, 556-557 treatment of, 566-567

Olivopontocerebellar atrophies, dementia

and, 805-806 Oral feeding, assisted and unassisted, 538-

Organic mental disorders, associated with

heavy drinking and alcohol dependence, 869-887 clinical characteristics of, 874-880

clinical implications of, 881-884 epidemiology for, 870-871

Organ pathologic conditions, effect on drug action of age related changes in, 133-

Osteoarthritis, management of, in demented patients, 713-714

Outpatient Geriatric Psychiatry Assessment and Treatment Service, impacts and outcome of, 206-207

structure and function of, 204-206

Overactivity, detrusor, established incontinence and, 555 treatment of, 562-564

Pacemaker, in treatment of cardiac rhythm disorders, 101-105

Pain, basic issues of disease management in demented patients and, 705-706 care of dying patient and, 642-644

Palsy, progressive supranuclear, dementia and, 802-804

Paranoia, among nursing home residents, 608-610 diagnosis and clinical features in, 609

epidemiology for, 608-609 treatment considerations in, 609-610

Parkinson's disease, 23 dementia of, 785-797

> Alzheimer's disease and, 787-790 "frontal lobe" dementia and, 792-793 incidence of, 786-787

prospects for treatment of, 793-794 subcortical dementia and, 790-792

family caregivers for patients with dementia of, 931

Patient-caregiver partnership, basic issues of disease management in demented patients and, 704

Pharmacodynamics, as basis for altered drug action, 127-149

in treatment of cardiac rhythm disorders, 100-101

Pharmacotherapy, 525

in management of behavior problems in elderly patients with Alzheimer's disease and other dementias, 728-738

Physician, role of, with terminally ill patient, 13-27

Pick's disease, dementia and, 800-801 Plasma volume, pharmcologic causes of alteration in, 47-48

physiologic variations of, 45-47 PLMS, in elderly, 76

Pneumoencephalography, in evaluation of

normal pressure hydrocephalus and dementia, 828-829

Pneumonia, presentation of, in nursing home patients, 510-511 Polymedicine, management of, 627-629

Postreceptor mechanisms, effect on drug action of age related changes in, 135-137 Posture, balance and, in falls, 616-617

Power of attorney, durable, for terminally ill patient, 24

Prazosin, for treating hypertension, 10 Pressure sores, care of dying patient and, 649-650

presentation of, in nursing home patients,

Progressive supranuclear palsy, dementia and, 802-804

Protein, 196-197

Proxy consent, family and, of terminally ill patient, 25

Pruritus, care of dying patient and, 650 Pseudodementia, 592, 816-817

Pseudohypertension, 1-2

Psychiatric disorders, among nursing home residents, 601-611

Psychological environment, humanizing, 504-505

Psychotherapy, in management of behavior problems in elderly patients with Alzheimer's disease and other dementias, 725 - 726

Psychotropic agents, in management of behavior problems in elderly patients with Alzheimer's disease and other dementias, 733-738

Psychotropic drugs, dementia and, 596-597

Quality of life, assessment of, by nursing home medical director, 495-500

Radiology, coordination of, by nursing home medical director, 502

Receptor mechanisms, effect on drug action of age related changes in, 135-137

Reciprocating tachycardia, AV, 88 Red blood cells, true mass changes in, 48 Re-entrant tachycardia, AV nodal, 87-88

intra-atrial, 87 Research, clinical, by nursing home medical director, 501

Reserpine, for treating hypertension, 10-11 Resident's rights, 667-668

Respiratory problems, care of dying patient and, 650-652

Right to die, of terminally ill patient, 21-22

Sensory stimulation, in management of behavior problems in elderly patients with Alzheimer's disease and other dementias, 727-728

Septic patients, dietary needs in, 537 Serum ferritin, value of, 50

Serum proteins, malnutrition and, 532-533 Shunting procedures, in treatment of normal pressure hydrocephalus and dementia,

833-835 Sick euthyroidism, 158-159

Sigmoidoscopy, flexible, 229 Sinoatrial block, 92

Sinoatrial tachycardia, 87 Sinus tachycardia, 86

Skin problems, care of dying patient and, 649-650

Sleep, description of, 71-72 normal, 71-81

parameters for, age-related changes in, 77 - 78

sources of changes in, 74-76

stages for, 77-78

studies on, precautions in interpretation of, 72-74

Sleep apnea syndrome, 75-76

Sleep disorders, 75-76

Sleepiness, daytime, napping and, 76 Sleep-related movements, 76

Smell, altered, malnutrition and, 529 Socialization, in management of behavior problems in elderly patients with Alz-

heimer's disease and other dementias, 727

Sodium, in diet, 198

Sores, pressure, care of dying patient and, 649-650

presentation of, in nursing home patients, 512-513

Staff environment, humanizing, 504

Stimulants, dementia and, 598 Stomach cancer, 229-230

Stress incontinence, treatment of, 564-566 Stroke, dementia following, 767-784

alteration of consciousness and, 771–772

cerebral dysfunction with focal lesions and, 772-773

features of dementia and, 773–774 functional capacities evaluation and, 779 history of dementia and, 774–775

hydrocephalus and, 771 intracranial hemorrhage and, 768–770 medical evaluation and, 777–778

mental status examination and, 776–777 neurologic examination and, 775–776 neurologic sequelae and, 771 neuropsychologic evaluation and, 778 nursing assessment and, 780

psychiatric consultation and, 779 recognition of dementia and, 774 speech evaluation and, 778–779

stroke outcome and, 770–773 survival and, 770 epidemiology of, 751

in elderly patients, 22

lacunar, multi-infarct dementia and, 754 Subarachnoid hemorrhage, dementia following stroke and, 768–769

Subcortical dementia, Parkinson's disease and, 790-792

Subdural and epidural hemorrhage, dementia following stroke and, 770

Suppositories, in treatment of constipation, 585

Systolic hypertension, 2-3

Tachyarrhythmias, 85-91

Tachycardia, atrial, 86

AV nodal re-entrant, 87–88 AV reciprocating, 88

intra-atrial re-entrant, 87 junctional, 86-87

multifocal atrial, 90-91 sinoatrial, 87

sinus, 86

ventricular, 91

Taste, altered, malnutrition and, 529 Tensions, of nursing home medical director,

Terminally ill patient, anticipatory grief and, 16-17

Christian affirmation of life and, 24

competence of, 21 denial by, 16

discussion of dying with, 14

durable power of attorney for, 24 euthanasia or right to die and, 21-22 giving psychological support to, 17-18

how to communicate with, 13–20

intervention with family and, 19–20 issues encountered when dealing with, 21–26

living will for, 22-24

"no code" for, 24-25

patient-family conflicts and, 25-26

physician's role with, 13-27 proxy consent and family of, 25

rights of, 19

stages of dying for, 18-19

telling truth to, 15

Thiamine, brain function and, 845

Thyroid, function of, 151-161 medullary carcinoma of, 748

morphology of, 151

review of normal physiology of, 151-152 Thyroid hormones, aging and, 153

Thyroregular mechanisms, aging and, 153-154

Training, for nursing home medical director, 505

Tranquilizers, dementia and, 597, 598

Transfers, coordination of, by nursing home medical director, 502

Transient incontinence, 551-554

Tube feeding, enteral, choice of formula for, 540

complications of, 540-541 providing, 539

gastrostomy/jejunostomy, providing, 539–

Tuberculosis, presentation of, in nursing home patients, 513-514

Ulcers, decubitus, dietary needs with, 538 Underactivity, detrusor, established incontinence and, 555

treatment of, 567-568

Unstable angina, acute myocardial infarction and, 118-120

Urinary problems, care of dying patient and, 649

impact of age on, 550-551

presentation of, in nursing home patients, 511-512

Vascular problems, multi-infarct dementia and, 754-755

Vasodilators, direct, for treating hypertension, 10

Ventricular enlargement, pathophysiology of, 818-819

Ventricular pressure recordings, in evaluation of normal pressure hydrocephalus and dementia, 821–822

Ventricular tachycardia, 91

Vitamin B<sub>13</sub>, brain function and, 928
Vitamin B<sub>12</sub> dementia, folate deficiency dementia and, 841–852
cerebral effects in, 841–847
clinical controversies in, 847–850
coenzyme functions in, 846–847
evidence of, 844–846
neurologic consequences in, 842–843
pathologic basis of, 843–844

without hematologic abnormality, 843 Vitamin C, malnutrition and, 535 Vitamin D, 198

malnutrition and, 535 Vitamins, B complex, malnutrition and, 535 malnutrition and, 535–536

Voiding, record of, incontinence and, 558-559 Volitional feedings, providing, 538-539 Vomiting, care of dying patient and, 646

Wakefulness, 77

Water, malnutrition and, 536

Weight loss, basic issues of disease management in demented patients and, 705

Wernicke's syndrome, clinical characteristics of, 874-878

Whole gut irrigation, in treatment of constipation, 585

Zinc, malnutrition and, 535-536

